



ELSEVIER

Contents lists available at SciVerse ScienceDirect

Measurement

journal homepage: www.elsevier.com/locate/measurement



Erratum

Erratum to “Tactile sensors for robotic applications” [Measurement 46 (2013) 1257–1271]

Pedro Silva Girão ^{a,*}, Pedro Miguel Pinto Ramos ^a, Octavian Postolache ^{b,c},
José Miguel Dias Pereira ^{b,c}

^a Instituto de Telecomunicações/IST/UTL, Av. Rovisco Pais, 1, 1049-001 Lisbon, Portugal

^b Instituto de Telecomunicações/ISCTE/IUL, Av. das Forças Armadas, 1649-026 Lisbon, Portugal

^c LabIM – EST/IPS Setúbal, Portugal

The e-mail addresses of Pedro Silva Girão and Pedro Miguel Pinto Ramos were incorrectly published. The Publisher regrets the inconvenience caused to the readers.

The correct e-mail addresses are listed below:

P.S. Girão: psgirao@ist.utl.pt,

P.M.P. Ramos: pedro.ramos@lx.it.pt

DOI of original article: <http://dx.doi.org/10.1016/j.measurement.2012.11.015>

* Corresponding author. Tel.: +351 218 418 488; fax: +351 218 417 672.

E-mail addresses: psgirao@ist.utl.pt (P.S. Girão), pedro.ramos@lx.it.pt (P.M.P. Ramos), opostolache@lx.it.pt (O. Postolache), joseper@est.ips.pt (J.M.D. Pereira).