

**ISSN 2518-170X (Online),  
ISSN 2224-5278 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ  
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Қ. И. Сәтпаев атындағы Қазақ ұлттық техникалық зерттеу университеті

# Х А Б А Р Л А Р Ы

## ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК  
РЕСПУБЛИКИ КАЗАХСТАН  
Казахский национальный исследовательский  
технический университет им. К. И. Сатпаева

## NEWS

OF THE ACADEMY OF SCIENCES  
OF THE REPUBLIC OF KAZAKHSTAN  
Kazakh national research technical university  
named after K. I. Satpayev

SERIES  
OF GEOLOGY AND TECHNICAL SCIENCES

**5 (437)**

SEPTEMBER – OCTOBER 2019

THE JOURNAL WAS FOUNDED IN 1940

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

---

---

*NAS RK is pleased to announce that News of NAS RK. Series of geology and technical sciences scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of geology and technical sciences in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of geology and engineering sciences to our community.*

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Геология және техникалық ғылымдар сериясы Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді геология және техникалық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия геологии и технических наук» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК. Серия геологии и технических наук в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по геологии и техническим наукам для нашего сообщества.

**N E W S**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES OF GEOLOGY AND TECHNICAL SCIENCES**

ISSN 2224-5278

Volume 5, Number 437 (2019), 207 – 214

<https://doi.org/10.32014/2019.2518-170X.144>

UDC 622.692.4.-52;539.3:624.044(035.3)

**Waldemar Wojcik<sup>1</sup>, Zh. M. Alimzhanova<sup>2</sup>, T. T. Velyamov<sup>2</sup>, A. M. Akhmetova<sup>2</sup>**<sup>1</sup>The Lublin University of Technology, Poland,<sup>2</sup>Al-Farabi Kazakh National University, Almaty, Kazakhstan

**ABOUT ONE MODEL OF PUMPING OIL MIXTURE  
OF DIFFERENT VISCOSITIES THROUGH A SINGLE PIPELINE  
IN AN UNSTEADY THERMAL FIELD**

**Abstract.** The paper discusses the calculation of the flow of oil mixture of different viscosity with decreasing temperature, produced under the action of the classification of loads with I-III types. Flows of the volume of oil mixture of different viscosity can be reduced as much as possible by desalination and separation of impurities.

**Keywords:** viscous oil, pumped liquid, pipeline, flow rate, differential equation, flow calculation.

**Introduction.** The study of the prospects of development of the oil refining industry on the example of the Western Kazakhstan oil features allows to determine one of the urgent problems of refining – a high percentage of paraffin-containing and high-sulfur oils. The presence of such impurities indicates a large percentage of high-viscosity oils, which in turn poses the task of analyzing the flow of oil through the pipeline, taking into account the increased viscosity of the medium. **The purpose of the study:** development of the most effective analysis of the model of pumping oil mixtures of different viscosity through a single pipeline in an unsteady thermal field, which allows the refining process to be facilitated with the most economical energy consumption. The considered model allows, in order to be economical and to benefit the region's ecology, to use certain conditions where it is advisable to pump any oil of different viscosity through a single pipeline in order to minimize the volume of the mixture depending on the flow regime of each of them under assumptions.

**Methods.** For analysis purposes, the following **methodological assumptions** are introduced:

- Mixing at the interface of pumped liquids is negligible, although the number of collisions between elements in the allocated volume is large, compared with the number of collisions of elements with a limiting surface volume, depending on the energy desiccation, flow velocity, distance from solid walls, the geometric shape of the filler cross section, the velocity of the free jet placed in the flow with a longitudinal direction.

- The pressure at the end section of the pipeline remains constant throughout the change of liquids, heavy liquid flows out along the lower tinder forming, the light rises along the upper forming at an unsteady temperature effect in the pipeline system.

- The splitting of the flow velocity allows to obtain a correct viscous solution in one main passage in the direction of flow, where the viscous friction stress is due to the molecular momentum transfer, and the viscosity coefficient of the mechanical system depends on the friction stress itself.

- There are some laminar sublayers between movements in the boundary layer and in the pipe, as a result of which the methods of warm and hydraulic pressure of the oil mixture and the transfer phenomenon make it possible to find the limiting amount of heat and mass according to the Euler integral theorem.

$$k_{in} - k_{out} = \sum(q_k + p_k),$$

where  $k_{in}$  – amount of inflowing liquids;  $k_{out}$  – amount of outflowing liquids;  $q_k$  – impulse of active forces;  $p_k$  – impulse of reactive forces.

**Results.** Under the above assumptions of the flow of petroleum liquids of different viscosities through a single pipeline under unsteady temperature field  $80^{\circ}\text{C} \geq T \geq 30^{\circ}\text{C}$  can be represented as a mechanical-physical-mathematical model [1-3]:

$$\frac{\partial^2}{\partial x^2} \left[ \varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right] = q_k / D \lambda^2 \frac{c\rho}{k} c(w) \frac{\partial w}{\partial t}, \quad (1)$$

where  $\varepsilon(x)$  is the coefficient of liquid of the cross-sectional area of the tubular structure, depending on the temperature;  $k$  – coefficient of thermal conductivity,

$$q_k / D = \lambda_k \frac{N}{Q} \gamma^2 \frac{1}{1 + \lambda_k \gamma^2} \left( \frac{h}{R} \right)^{\frac{5}{2}} \left( \frac{R}{2} \right) -$$

active external load (impulse)  $c(w) = \beta$  – heat capacity per unit volume;  $k$  – coefficient of thermal conductivity;  $c$  – heat capacity;  $\rho$  – density.  $W(x,t)$  – displacement function in OZ axis direction and

$$W(x,t) = W(x)T(t), \quad (2)$$

then

$$\frac{d^2}{dx^2} \left[ \varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right] \cdot T(t) = \frac{q_k}{D} \frac{c\rho}{k} \beta W(x) \frac{dT}{dt}, \quad (3)$$

where

$$\begin{aligned} \frac{d^2}{dx^2} \left[ \varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right] &= \frac{1}{T} \frac{dT}{dt}; \\ \frac{q_k}{D} \frac{c\rho}{k} \beta W(x) & \end{aligned} \quad (4)$$

$$\frac{d^2}{dx^2} \left[ \varepsilon(x) \frac{\partial^2 w}{\partial x^2} \right] = -\lambda^2 \frac{q_k}{D} \frac{c\rho}{k} \beta W(x); \quad (5)$$

$$\begin{aligned} \frac{dT}{dt} + \lambda^2 T &= 0, \frac{d^2 T}{dt^2} + C O_4^2 T = \frac{Q}{a_0} \\ Q &= \int_0^l q_k(x,t) W(x) dx, \lambda^2 = \frac{n\pi h}{L} \end{aligned} \quad (6)$$

The ordinary differential equation (6) is easily solved, the expression of potential, kinetic energy is written and the Lagrange equation is involved, and the ordinary differential equation (5) is the Euler equation.

$$\left[ \varepsilon(x) \frac{d^4 W}{dx^4} + 2\varepsilon'(x) \frac{d^3 W}{dx^3} + 2\varepsilon''(x) \frac{d^2 W}{dx^2} \right] + aW = 0, \quad (7)$$

where  $a = \frac{q_k}{D} \lambda^2 \beta \frac{c\rho}{k}$ .

In particular:

$$\varepsilon(x) = Dx^4. \quad (8)$$

Then

$$\left[ x \frac{d^4 W}{dx^4} + 8x^3 \frac{d^3 W}{dx^3} + 12x^2 \frac{d^2 W}{dx^2} \right] + aW = 0. \quad (9)$$

The following cases are possible:

A) for  $0 < a < 1$ , for example  $a = \frac{3}{4}$ , then ( $a = \frac{q_k}{D} \lambda^2 \beta \frac{c\rho}{k}$ )

$$W(x) = x^{-\frac{1}{2}} (C_1 x^{m_1} + C_2 x^{m_2} + C_3 x^{m_3} + C_4 x^{m_4}), \quad (10)$$

where

$$m_{1,2} = \frac{5}{4} + \sqrt{1-a}. \quad (11)$$

B) for  $a = 1$ , then

$$W(x) = x^{-\frac{1}{2}+m_1} (C_1 + C_2 \ln x) + x^{-\frac{1}{2}+m_2} (C_3 + C_4 \ln x), \quad (12)$$

where

$$m_{1,2} = \pm \frac{1}{2} + \sqrt{5}. \quad (13)$$

C) for  $a > 1$ , for example  $a = 5$ ,  $1 < x < 4$   $\beta = \frac{1}{2} \sqrt{\frac{1}{2} (\sqrt{89} - 5)}$ ,  $\alpha = \frac{1}{2} \sqrt{\frac{1}{2} (\sqrt{89} + 5)}$

$$W(x) = x^{-\frac{1}{2}} [(C_1 x^\alpha + C_2 x^{-\alpha}) \cos(\beta \ln x) + (C_3 x^\alpha + C_4 x^{-\alpha})], \quad (14)$$

where  $\alpha = \sqrt{2} \cos(\frac{\varepsilon}{2})$ ,  $\beta = \sqrt{2} \sin(\frac{\varepsilon}{2})$ ,  $r = a + \frac{9}{16}$ ;

$$\sin \varepsilon = \frac{\sqrt{a-1}}{r}, \cos \varepsilon = \frac{5}{4r}. \quad (15)$$

Since we have considered the tubular structure under the action of an external active force, it is necessary to further consider the nonhomogeneous equation of the form

$$\frac{d^2}{dx^2} \left[ x^4 \frac{d^2 W}{dx^2} \right] + om = x^2 - 2x + 2. \quad (16)$$

A particular solution of which is

$$W^*(x) = \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a}. \quad (17)$$

Then, on the basis of formulas (10) – (15), we have:

Case A).

$$W(x) = x^{-\frac{1}{2}} (C_1 x^{m_1} + C_2 x^{m_2} + C_3 x^{m_3} + C_4 x^{m_4}) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a}, \quad (18)$$

where  $0 < a < 1$ ,  $m_{1,2} = \frac{5}{4} \pm \sqrt{1-a}$ ;  $a = \frac{q_k}{D} \lambda^2 \beta \frac{c\rho}{k}$ .

The general solution of the differential equation (6) we write in the form

$$T(t) = T_0 e^{-\lambda^2 t}, \quad (19)$$

where  $T(0) = T_0$ .

Consequently:

$$W(x) = T_0 \left[ x^{-\frac{1}{2}} (C_1 x^{m_1} + C_2 x^{m_2} + C_3 x^{m_3} + C_4 x^{m_4}) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a} \right] e^{-\lambda^2 t}. \quad (20)$$

Case B)

$$W(x) = x^{-\frac{1}{2}+m_1} (C_1 + C_2 \ln x) + x^{-\frac{1}{2}+m_2} (C_3 + C_4 \ln x) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a}, \quad (21)$$

where  $a = 1; m_{1,2} = \pm \frac{1}{2} \sqrt{5}$ .

The general solution of the differential equation (6) we will write in the form:

$$T(t) = T_0 e^{-\lambda^2 t}$$

then

$$\begin{aligned} W(x) &= T_0 \left[ x^{-\frac{1}{2}+m_1} (C_1 + C_2 \ln x) + x^{-\frac{1}{2}+m_2} (C_3 + C_4 \ln x) + \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a} \right] e^{-\lambda^2 t} \\ \lambda^2 &= \frac{n\pi h}{L}, T_0 = \{1, 2, 3, 4, 5\}. \end{aligned} \quad (22)$$

Case C) similarly:

$$\begin{aligned} W(x) &= T_0 \left\{ x^{-\frac{1}{2}} [C_1 x^\alpha + C_2 x^{-\alpha}] \cos(\beta \ln x) + [C_3 x^\alpha + C_4 x^{-\alpha}] \sin(\beta \ln x) \right\} + \\ &+ \frac{1}{a+24} x^2 - \frac{2}{a} x + \frac{2}{a} \} e^{-\lambda^2 t} \end{aligned} \quad (23)$$

where  $\alpha = \sqrt{r} \cos(\varepsilon/2), \beta = \sqrt{r} \sin(\varepsilon/2); r^2 = a + \frac{9}{16}$ ;

$$\sin \varepsilon = \frac{\sqrt{a-1}}{r}; \cos \varepsilon = \frac{5}{4r}. \quad (24)$$

Static deflection is determined from natural oscillations

$$\frac{d^2}{dx^2} \left[ \varepsilon(x) \frac{d^2 W}{dx^2} \right] = 0. \quad (25)$$

A particular solution of which is

$$W(x) = c_1 + c_2 x + \int_a^x \frac{x-t}{\varepsilon(t)} (c_3 + c_4 t) dt, \quad (26)$$

or

$$W(x) = c_1 + c_2 x + c_3 \varphi(x) + c_4 \varphi'(x), \quad (27)$$

where

$$W(x) = \int_a^b \frac{|x-t|}{\varepsilon(t)} dt, \quad \varphi(x) = \int_a^b \frac{|x-t|^t}{\varepsilon(t)} dt. \quad (28)$$

On an interval  $[a,b]$ , on which  $\varepsilon(x) \neq 0$  and twice continuously differentiable.

Fundamental solution

$$\begin{aligned} g_1(x, \xi) &= \int_a^b \frac{|x-t||\xi-t|}{4\varepsilon(t)} dt, \\ g_2(x, \xi) &= \frac{|x-\xi|}{|x-\xi|} \int_{\xi}^x \frac{(x-t)(t-\xi)}{2\xi(t)} dt. \end{aligned} \quad (29)$$

In the case of transverse vibrations of the tubular structure, the following right conditions are encountered:

$$A) W(x) \Big|_{\substack{x=0 \\ x=L}} = 0; \quad \frac{dW}{dx} \Big|_{\substack{x=0 \\ x=L}} = 0; \quad (30)$$

stringently

$$B) W(x) \Big|_{\substack{x=0 \\ x=L}} = 0; \quad \frac{d^2W}{dx^2} \Big|_{\substack{x=0 \\ x=L}} = 0; \quad (31)$$

$$C) \frac{d^2W}{dx^2} \Big|_{\substack{x=0 \\ x=L}} = 0; \quad \frac{d^3W}{dx^3} \Big|_{\substack{x=0 \\ x=L}} = 0; \quad (32)$$

free boundary conditions.

Possible mixed boundary conditions.

We introduce the notations

$$D) \alpha = \int_a^b \frac{dt}{\varepsilon(t)}; \quad \beta = \int_a^b \frac{tdt}{\varepsilon(t)}; \quad \gamma = \int_a^b \frac{t^2dt}{\varepsilon(t)}; \quad (33)$$

Then, in the accepted notation for the Green function of various boundary value problems, we have:

$$I) \quad \Gamma^{I,I} = g_1(x, \xi) + \frac{1}{4(\alpha\gamma - \beta^2)} \{ \varphi(x)[\beta\varphi(\xi) - \gamma\varphi(x)] + \varphi(x)[\beta\varphi(\xi) - \alpha\varphi(\xi)] \}, \quad (35)$$

where  $\alpha\gamma - \beta^2 \neq 0$ .

$$II) \quad 4\Gamma^{II,II} = 4g_1(x, \xi) + \gamma + (\beta - 2\gamma)\xi - \varphi(\xi) + [\beta - 2\gamma + (\alpha - 4\beta + 4\gamma)\xi + 2\varphi(\xi) - \varphi(\xi)]x - \xi\varphi(x) + (2\xi - 1)\varphi(x) \quad (35)$$

for  $a = 0, b = 1; 0 \leq t \leq 1$ .

III)  $\Gamma^{III,III}$  – does not exist. In these cases, it is possible to construct generalized Green's functions, since the boundary value problems have a nonzero solution  $c_1 + c_2x$ .

$$\text{IV) } NT^{I,II} = Ng_1(x, \xi) + (x-b)[(\xi-b)(2\gamma - \beta^2) + (\gamma - b\beta)\varphi(x) + (b\alpha - \beta)\varphi(x)] - \varphi(x)[(\xi-b)(b\beta - \gamma) + b^2\varphi(\xi) - b\varphi(\xi)] + \varphi(x)[(\xi-b)(b\alpha - \beta) + b\varphi(\xi) - \varphi(\xi)] \quad (36)$$

where  $N = 4(b^2\alpha - 2b\beta + \alpha) \neq 0$ .

$$\text{V) } 4T^{I,III} = 4g_1(x, \xi) + \gamma - \beta\xi - \varphi(\xi) + [\alpha\xi - \beta + \varphi(\xi)]x + \xi\varphi(x) - \varphi(x). \quad (37)$$

VI)  $T^{II,III}$  – does not exist, since it has a nonzero solution. We can construct a generalized Green's function  $c(x - \alpha)$ .

Graphs 1–3 show the flow of the oil mixture with different viscosities when changing the shear modulus  $\mu(T)$ , the Poisson's ratio  $\nu(T)$  and the linear expansion coefficient  $\alpha(T)$  for the elastic-viscous region according to figures 1, 2.




Figure 1 – Dependence of the shear modulus, the Poisson's ratios and the linear expansion on temperature







Figure 2 – The temperature distribution over pipe thickness



Graph 1 – The flow of oil mixture of different viscosities  
with decreasing temperature from 80 °C to 60 °C, when  $\alpha = \frac{3}{4}$



Graph 2 – The flow of oil mixture of different viscosities with decreasing temperature from 60 °C to 30°C, when  $a = 1$



Graph 3 – The flow of oil mixture of different viscosities with decreasing temperature from 29 °C to 23 °C, when  $a = 5$

**Conclusion.** As a result of the study, the following calculations have been analyzed and obtained:

- The calculation of the flow of the oil mixture of different viscosities with a decrease in temperature from 80 °C to 60 °C is performed under the classification of loads of 1-type
- The calculation of the flow of the oil mixture of different viscosities with a decrease in temperature from 60 °C to 30°C is performed under the classification of loads of 2-type
- The calculation of the flow of the oil mixture of different viscosities with a decrease in temperature from 29 °C to 23 °C is performed under the classification of loads of 3-type.

The dependencies have been determined, i.e. depending on the flow regime, the volume of the oil mixture of different viscosities can be reduced as much as possible by desalination and separation of impurities, heavy sediments and stratification, under the influence of combined power factors on the type of classification of loads of the 1st –III types. In this case, depending on the power factors, the original equation is reduced to an equation of the Riccati and Weber type, and in some cases to the Bessel and Euler equations.

Waldemar Wojeik<sup>1</sup>, Ж. М. Алимжанова<sup>2</sup>, Т. Т. Велямов<sup>2</sup>, А. М. Ахметова<sup>2</sup>

<sup>1</sup>Люблин технологиялық университеті, Польша,

<sup>2</sup>әл-Фараби атындағы Қазақ ұлттық университеті Алматы, Қазақстан

### ӘР ТҮРЛІ ТҮТҚЫРЛЫҚТАҒЫ МҰНАЙ ҚОСПАЛАРЫНЫҢ АҒЫНЫН ЕСЕПТЕУ

Жұмыста I-III-типтегі жүктемелердің жіктелуінің әсерінен өндірілетін температуралық төмендеуімен әр түрлі түтқырлықтағы мұнай қоспаларының ағынын есептеу қарастырылған. Әр түрлі түтқырлықтағы мұнай қоспасының көлемін ағынды тұзсыздандыру және қоспаларды бөлу арқылы азайтуға болады.

**Waldemar Wojcik<sup>1</sup>, Ж. М. Алимжанова<sup>2</sup>, Т. Т. Велямов<sup>2</sup>, А. М. Ахметова<sup>2</sup>**

<sup>1</sup>Люблинский технологический университет, Польша,

<sup>2</sup>Казахский Национальный университет им. аль-Фараби, Алматы, Казахстан

## **РАСЧЕТ ТЕЧЕНИЯ НЕФТЯНОЙ СМЕСИ РАЗНОЙ ВЯЗКОСТИ ПРИ УМЕНЬШЕНИИ ТЕМПЕРАТУРЫ**

**Аннотация.** В работе рассматривается расчет течения нефтяной смеси разной вязкости при уменьшении температуры, производимые под действием классификации нагрузок с I–III-видов. Течения объема нефтяной смеси разной вязкости можно максимально снизить путем опреснения и разделения примеси.

### **Information about authors:**

Wojcik Waldemar, PhD of informatics and electronics, professor, The Lublin University of Technology, Poland; <https://orcid.org/0000-0002-0843-8053>

Alimzhanova Zh. M., Ph.D., Associate Professor of the Department "Information Systems", al-Farabi Kazakh National University, Almaty, Kazakhstan; zhannamen@mail.ru; <https://orcid.org/0000-0001-6282-5356>

Velyamov T. T., PhD, Associate Professor of the Department "Artificial Intelligence and BigData", al-Farabi Kazakh National University, Almaty, Kazakhstan; fea\_vel@mail.ru; <https://orcid.org/0000-0003-0301-083X>

Akhmetova A. M., PhD, Department "Artificial Intelligence and BigData", al-Farabi Kazakh National University, Almaty, Kazakhstan; ardak\_66@mail.ru; <https://orcid.org/0000-0003-2678-3296>

### **REFERENCES**

- [1] Bozhanov Y.T., Buganova S.N., Otarbayev Zh.O. Mechanical and mathematical modeling of oil products transporting viscousoil by hot pumping // “Shekarasız fylum men inzhenerlik bilim” atty halykaralyk forumnyң еңбектери. Vol. 1. Almaty: KazNTU, 2009.
- [2] Bozhanov Y.T., Sugirov D.U., Erzhanov K.Sh. Mathematical model of a turbulizer with cutouts in the heat exchanger, installed in a rectangular channel // KazGASA Bulletin. 2004. N 2 (scientific journal).
- [3] Glushkov A.A. Transportation of high-viscosity oil through the trunk pipeline using heat pumps. Ufa: USOTU, 2009.
- [4] Bozhanov Y.T., Tulesheva G.A., Bozhaev N.A., Khairullin E.M. Similar-calculated modulus of heavy oil movement under the action of axial critical force, when the cross-sectional shape is a type of hyperbolic cooling towers // KazNRU Bulletin. 2015. N 5. P. 372-377.
- [5] Bozhanov Y.T., Tulesheva G.A., Bozhaev N.A. Similar-calculated modulus of heavy oil movement under the action of axial critical force, when the oval type cross-sectional shape // KazNRU Bulletin. 2015. P. 372-377.
- [6] Kalimoldayev M.N., Pak I.T., Baipakbayeva S.T., Mun G.A., Shaltykova D.B., Suleimenov I.E. Methodological basis for the development strategy of artificial intelligence systems in the republic of Kazakhstan in the message of the president of the Republic of Kazakhstan // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. 2018. Vol. 6(432). P. 47-54.
- [7] Samigulina G.A., Nyusupov A.T., Shayakhetova A.S. Analytical review of software for multi-agent systems and their applications // News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences. 2018. Vol. 3(429). P. 173-181.
- [8] Kenzhaliyev B.K., Surkova T.Yu., Yessimova D.M. Concentration of rare-earth elements by sorption from sulphate solutions // Complex Use of Mineral Resources. 2019. N 3. P. 5-9. <https://doi.org/10.31643/2019/6445.22>
- [9] Mochamad B. Triyono, LiliSrianingsih, Didik Nurhadi. Students' employability skills for construction drawing engineering in Indonesia // World Transactions on Engineering andTechnology Education. 2018. Vol. 16, Issue 1. P. 29-35.
- [10] Kenzhaliyev B.K., Berkinbayeva A.N., Sharipov R.H. (2015). Research of the Interacting Process of Copper-Base Alloys with Leaching Solutions under the Action of Different Physicochemical Factors // American Journal of Applied Sciences. 12(12), 982-992. <https://doi.org/10.3844/ajassp.2015.982.992>
- [11] Kenzhaliyev B.K., Dosymbaeva Z.D., Iskhakova R.R., Suleimenov E.N. (2015). Investigation into the Use of Electrochemical Extraction to Draw Gold from Refractory Ores // American Journal of Applied Sciences. 12(11), 857-864. <https://doi.org/10.3844/ajassp.2015.857.864>
- [12] Lavrinenco S.V., Arpentieva M.R., Kassymova G.K. (2019). Motivation of technical university students and its impact on the effectiveness of the educational process // International youth scientific conference “Heat and mass transfer in the thermal control system of technical and technological energy equipment” (HMTTSC 2019). <https://doi.org/10.1063/1.5120670>
- [13] Kenzhaliyev B.K., Iskhakova R.R., Dosymbayeva Z.D. (2015).Sorption Extraction of Noble and Non-Ferrous Metals from Process Leaching Solutions // American Journal of Applied Sciences. 12(11), 875-884. <https://doi.org/10.3844/ajassp.2015.875.884>
- [14] Almagambetova A., Tileubay S., Taimuratova L., Seitmuratov A., Kanibaikyzy K. Problem on the distribution of the harmonic type Relay wave// News of the National academy of sciences of the Republic of Kazakhstan. Series of Geology and Technical Sciences 2019. 1(433): 242-247 (in Eng.). ISSN 2518-170X (Online), ISSN 2224-5278 (Print). <https://doi.org/10.32014/2019.2518-170X.29>

**N E W S**

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

**SERIES OF GEOLOGY AND TECHNICAL SCIENCES**

ISSN 2224-5278

Volume 5, Number 437 (2019), 215 – 222

<https://doi.org/10.32014/2019.2518-170X.145>

UDC УДК 687.15

**L. Shildebayeva<sup>1</sup>, N. Afanaseva<sup>2</sup>, A. Seitmuratov<sup>1</sup>**<sup>1</sup>Korkyt Ata Kyzylorda state University, Kyzylorda, Kazakhstan;<sup>2</sup>Zhejiang Spring Import & Export Co. Ltd, Shanghai, China.E-mail: [lyazzatk.sh.2007@mail.ru](mailto:lyazzatk.sh.2007@mail.ru), [marna2007@mail.ru](mailto:marna2007@mail.ru), [angisin\\_@mail.ru](mailto:angisin_@mail.ru)

**THE ESTABLISHMENT OF THE BASIC ELEMENTS  
OF MODELING AND DIGITALIZATION  
IN THE DESIGN OF PARTS OF AN OBJECT**

**Abstract.** The regularity defining the organization of the General composition creating integral perception is established. Due to this, the efficiency and integrity of the composition is achieved, which contributes to the establishment of a relationship between the shape of the product, the compositional expression of the figure and the overall design. Based on the unification model of the elements of the ornaments, the options of forming non-standard ornamental compositions from the standard patterns, the considered methods and performance techniques, types of finishes and guidelines for placement of designs. We have also developed an algorithm of modern methods of designing clothes based on the traditional Kazakh costume. this is based on the analysis of the formation of the traditional Kazakh costume, structural analysis of the most characteristic costumes-images and the structure of the general code. The basic elements of their modeling and digitization in the design of object parts are considered.

**Key words:** composition, object, national, ornament, technique, design, Kazakh, clothing.

World practice requires specialists with a narrow specialization and knowledge of the technology for manufacturing light industry products, including products made on the basis of a traditional national costume [1], but also able to use the knowledge gained in the field of digitalization.

Time proves that national clothing was created by wise and practical creators. A feature of Kazakh national clothing is that the processes of their design and manufacture must be carried out with the mandatory observance of the requirements, canons and traditions of the Kazakh people [2]. Scientific developments in this direction are practically absent. Some information on the types of Kazakh national clothing is contained in some scientific papers. But they lack any information on the methods of designing and manufacturing national clothes.

Therefore, we identified the types of clothing of Kazakhs of the XYIII- beginning of the XX centuries, analyzed the use of Kazakh national traditions in modern clothing, developed a method for forming a rational structure of the assortment of Kazakh clothing taking into account national traditions.

On the basis of a specially developed structure of a unified system analysis of national clothes, developed by Dr. Parmon, and the result of a retrospective analysis revealed the most characteristic Kazakh national costumes-images and the structure of the common code of Kazakh national clothes [3].

Since the form of national clothes is being improved with each subsequent step, there is a need to study the connection of national clothes with modern ones.

The methodology of designing modern clothes based on the traditional Kazakh costume leads to the development of graphic design of ornaments of Kazakh national clothes.

The decor of Kazakh national clothing is a rich heritage in the field of ornamental art. Separate motifs of the ornament, elements of Kazakh national clothing, rooted in ancient times, are now indispensable sources for the design of modern clothing. A retrospective analysis of the artistic and graphic features of the ornament contributes to the preservation of the traditions of the Kazakh ornament, the design on their

## СОДЕРЖАНИЕ

<i>Дудкин М.В., Апшикур Б., Ким А.И., Ипалаков Т.Т., Асангалиев Е.А., Млынчак М., Тунгушбаева З.К.</i>	
Разработка математических моделей, описывающих процессы, происходящие в конструкции железнодорожного пути в целом, или в работе его отдельных элементов.....	6
<i>Адильбектеги Г.А., Мустафаев Ж.С., Уватаева Т.К., Дулатбекова Ж.Н., Mosiej Jozef.</i> Новый подход к оценке биоклиматического потенциала ландшафтов на примере Северного Казахстана.....	16
<i>Волгина Е.М., Новожилов А.Н., Колесников Е.Н., Рахимбердинова Д.М., Новожилов А.Н., Андреева О.А.</i>	
Моделирование эксплуатационных режимов работы трехфазного трансформатора.....	26
<i>Поветкин В.В., Багитова С.Ж., Керимжанова М.Ф., Орлова Е.П., Исаметова М.Е., Татыбаев М.К., Букаева А.З.</i> Сравнительный анализ компьютерного моделирования зубчатых передач с эвольвентным зацеплением и передачи Новикова.....	34
<i>Кобелев К.В., Данилян А.В., Барыкин А.Н., Селина И.В., Созинова М.С., Нурмуханбетова Д.Е., Сейдахметова З.Ж.</i> Перспективы применения виноградной выжимки в пивоварении.....	46
<i>Новикова Г.В., Жданкин Г.В., Белова М.В., Орлова О.И., Семенов В.Г., Баймуканов Да.А., Исхан К.Ж., Аубакиров Х.А.</i> Обоснование параметров микроволновой установки с передвижными резонаторами для термообработки непищевых яиц.....	53
<i>Нуримбетов А.У., Орынбаев С.А., Джуснисбеков М.Ш., Омаров Ж.</i> Численное решение напряженно-деформированного состояния многослойных композиционных лопаток в поле центробежных сил.....	60
<i>Рай А.Г., Бакирова А.Ш., Ануарбеков К.К., Кадашева Ж., Юрик Л.</i> Геохимия воды на Акделинской рисовой оросительной системе.....	74
<i>Карипжанова А.Ж., Сагиндыков К.М., Гудов А.М., Dimitrov Kalin.</i> Параметры распределенных баз данных информационных систем при расщеплении данных с применением алгоритмов многомерной четности.....	82
<i>Баймухаметов А.А., Коксалов К.К., Векслер Ю.А.</i> Проблемы литосферной геодинамики.....	91
<i>Рахимжанова Л.Ш., Жанбуришы А.М., Баиров К.Б., Vaidua S.</i> Архитектурные приёмы элиминации Алматинского смога.....	99
<i>Сулеев Д.К., [Утенев Е.Б.], Жұмаділова Ж.О., Тен Э.Б.</i> Создание демпфирующих сплавов с оптимальными физико-механическими свойствами для деталей геологоразведочного оборудования.....	106
<i>Тулеев А.К., Джомартов А.А., Куатова М.Ж., Халисиоглы Р.</i> Динамическое исследование муфты включения кривошипного пресса.....	114
<i>Сайнова Г.А., Байхамурова М.О., Акбасова А.Д., Есенбаева Ж.Ж., Али Озлер Мехмет.</i> Эколого-аналитическая характеристика газовых выбросов с полигонов твердых бытовых отходов Туркестанской области.....	124
<i>Босак П.В., Попович В.В.</i> Радиационно экологический мониторинг угольных шахт Нововолынского горнопромышленного района.....	132
<i>Молдабаев Г.Ж., Метакса Г.П., Алишева Ж.Н.</i> Теоретические основы для реализации процессов снижения вязкости в условиях природного залегания.....	138
<i>Калимолов М.Н., Абдилаева А.А., Жукабаева Т.К., Тураев Ш.</i> Исследование технологии интернета вещей (IoT) в электротехнических системах.....	144
<i>Аслanova М.А., Деревицкая О.К., Дыдыкин А.С., Исаков М.Х., Нурмуханбетова Д.Е.</i>	
Разработка биологически активных комплексов с учетом технологических требований.....	151
<i>Ергалиев Г.К., Жемчужников В.Г., Пирогова Т.Е.</i> Кембрий Северо-Западного Прибалхашья.....	158
<i>Тогизов К.С., Жолтаев Г., Исаева Л.Д.</i> Роль трехмерных моделей месторождения и термодинамических условий его формирования при выделении и оценке ресурсов перспективных участков.....	169
<i>Ермагамбет Б.Т., Казанкапова М.К., Борисенко А.В., Наурызбаева А.Т., Женисова А.К., Абылгазина Л.К.</i>	
Синтез углеродных нанотрубок методом cvd на поверхности гидрофобной золы сланца.....	177
<i>Кабылбеков К.А., Абдрахманова Х.К., Дасибеков А.Д., Рамазанова С.А., Уалиханова Б.С.</i>	
Моделирование Солнечной системы.....	189
<i>Калимолов Максат, Ахметжанов Максат, Муканова Балгайша, Азимова Динара.</i>	
Параллель құрылымы бар роботтың қамту алгоритмін іске асыру.....	197
<i>Сейтмуратов А.Ж., Таймуратова Л.У., Жұсипбек Б.К., Сейтханова А., Каинбаева Л.С.</i>	
Условия предельного напряженного состояния.....	202
<i>Wojcik Waldemar, Алимжанова Ж.М., Велямов Т.Т., Ахметова А.М.</i> Расчет течения нефтяной смеси разной вязкости при уменьшении температуры.....	207
<i>Шильдебаева Л., Афанасьева Н., Сейтмуратов А.</i> Установление основных элементов моделирования и цифровизации при проектировании деталей объекта.....	215
<i>Журинов М.Ж., Телтаев Б.Б., Калыбай А.А.</i> Характеристика дорожного битума с наночастицами угля.....	223
<i>Журинов М.Ж., Калыбай А.А., Телтаев Б.Б.</i> Характеристики и свойства физических и квантовых полей наноуглерода и их приложения.....	229
<i>Омарбаева А.Н., Жаппарова Б.К., Бекбосынова С.А., Абилева Г.А., Жамангара А.К., Шишкевич К.</i>	
Анализ экологического состояния реки Нуры по биогенным элементам.....	237