

Разработали лабораторный регламент получения гидроксиароматических кислот реакцией карбоксилирования гидроксиаренов и их производных щелочными солями алкилугольных кислот, который может использоваться в учебной программе при реализации лабораторных и практических работ в рамках курса «Нефтехимические синтезы», а также при выполнении дипломных и магистерских проектов по специальности «Химическая технология органических веществ» и «Нефтехимия» химического факультета КазНУ им. аль-Фараби.

Ключевые слова: карбоксилирование, гидроксиарены, гидроксибензойная кислота, диоксид углерода, этилкарбонат калия, п-гидроксибензойная кислота.

Information about authors:

Kanapiyeva M. Fatima, candidate of chemical s., senior lecturer of the Department of Physical Chemistry, Catalysis and Petrochemistry, Faculty of Chemistry and Chemical Technology, al-Farabi KazNU, e-mail: fatima31@mail.ru, <https://orcid.org/0000-0002-9829-3117>;

Kudaibergenov Zh. Nurbolat, received a Master's degree from Al-Farabi Kazakh National University, Almaty in 2014. Graduated doctoral studies in 2019. His current research activities deal with organic synthesis and petrochemistry. e-mail: n.zh.kudaibergenov@gmail.com, <https://orcid.org/0000-0002-4641-6779>;

Tursynkhankzyz Maira, a first-year student of magistracy (specialty "Petrochemistry") of the Department of Physical Chemistry, Catalysis and Petrochemistry, Faculty of Chemistry and Chemical Technology, al-Farabi KazNU. e-mail: tk.maira@mail.ru, ORCID: <https://orcid.org/0000-0001-8005-1999>;

Kurmashev A. Arman – a first-year student of magistracy (specialty "Petrochemistry") of the Department of Physical Chemistry, Catalysis and Petrochemistry, Faculty of Chemistry and Chemical Technology, al-Farabi KazNU. e-mail: kurmashev.arman@inbox.ru; ORCID: <https://orcid.org/0000-0002-1127-6788>

REFERENCES

- [1] Aresta M (2003) Carbon Dioxide: Recovery and Utilization. Kluwer Academic Publishers, The Netherlands. ISBN: 978-94-017-0245-4 (in Eng.).
- [2] Riduan SN, Zhang YG. (2010) Recent developments in carbon dioxide utilization under mild conditions, Dalton Transactions, 39:3347–3357. <https://doi.org/10.1039/B920163G> (in Eng.).
- [3] Holscher M, Gurtler C, Keim W, Muller TE, Peters M, Leitner W. (2012) Carbon Dioxide as a Carbon Resource - Recent Trends and Perspectives Zeitschrift fur nuturforschung/section B-A journal of chemical sciences, 67:961–975 (in Eng.). <https://doi.org/10.5560/znb.2012-0219>
- [4] Cashman AL, Warshaw EM. (2005) Parabens: A review of epidemiology, structure, allergenicity, and hormonal properties, Dermatitis, 16:57–66 (in Eng.). <https://doi.org/10.1097/01206501-200506000-00001>
- [5] Farhoosh R, Johnny S, Asnaashari M, Molaahmadibrahaseeman N, Sharif A. (2016) Structure-antioxidant activity relationships of o-hydroxyl, o-methoxy, and alkyl ester derivatives of p-hydroxybenzoic acid, Food Chemistry, 194: 128–134 (in Eng.). <https://doi.org/10.1016/j.foodchem.2015.08.003>
- [6] Suerbaev KhA. (2010) Carbon Dioxide as a Source of Carbon in Chemical Synthesis, Eurasian Chemico-Technological Journal, 12:105-115 (in Eng.). <https://doi.org/10.18321/ectj32>
- [7] Shanthi B, Palanivelu K. (2015) Conversion of carbon dioxide to resorcylic acid under ultrasonication by KolbeSchmitt reaction, Ultrasonics Sonochemistry, 27:268-276 (in Eng.). <https://doi.org/10.1016/j.ultsonch.2015.05.019>
- [8] Koroleva O, Torkova A, Nikolaev I, Khrameeva E, Fedorova T, Tsentalovich M, Amarowicz R. (2014) Evaluation of the Antiradical Properties of Phenolic Acids, Int. J. Mol. Sci., 15:16351–16380 (in Eng.). <https://doi.org/10.3390/ijms150916351>
- [9] Lidstrom P, Tierney J, Wathey B, Westman J. (2001) Microwave Assisted Organic Synthesis—A Review, Tetrahedron, 57:9225–9283 (in Russ.).
- [10] Dong D, Jiang Sh, Ni Yu, Jiang B. (2001) Syntheses and properties of thermotropic copolymers of p-hydroxybenzoic acid, Eur Polym J, 37:611–617 (in Eng.). [https://doi.org/10.1016/S0014-3057\(00\)00123-3](https://doi.org/10.1016/S0014-3057(00)00123-3)
- [11] Liu AH, Yu B, He LN. (2015) Catalytic conversion of carbon dioxide to carboxylic acid derivatives, Greenhouse Gases-Science and Technology, 5:17–33 (in Eng.). <https://doi.org/10.1002/ghg.1461>
- [12] Suerbaev KhA, Chepaikin EG, Kudaibergenov NZh, Zhaksylykova G. (2016) Synthesis of Cresotic Acids by Carboxylation of Cresols with Sodium Ethyl Carbonate, Petrol Chem+, 56:646-650 (in Eng.). <https://doi.org/10.1134/S0965544116070161>
- [13] Hoz A, Diaz-Ortiz A, Moreno AJ. (2007) Microwaves in organic synthesis. Thermal and non-thermal microwave effects. Chemical Society Reviews, 41:45–47 (in Eng.). <https://doi.org/10.1039/B411438H>
- [14] Surati MA, Jauhari S, Desai KR. (2012) Arch. Appl. Sci. Res., 4, 645–661 (in Eng.).
- [15] Varma RS, (2008) Green Chemical Reactions 155–171. Book Series: Nato Science for Peace and Security Series C – Environmental Security (in Eng.). https://doi.org/10.1007/978-1-4020-8457-7_7
- [16] Potehin AA, (1984) Ed.,Properties of Organic Compounds. Directory, Himija, Leningrad.