
International Journal of





vering all chemical v, colloids v, genetics

zakhstan

stan

stan

JK

VOLUME 10

NUMBER 1

2017

ISSN 2218-7979

International Journal of

Biology and Chemistry



akhstan

International Journal of Biology and Chemistry Quarterly Journal of the al-Farabi Kazakh National University

Volume 10

Number 1

2017

Contents

Editorial	3
Bigaliev A.B., Kobegenova S.S., Adyrbekova K.B., Gutsulyak S.A. Diversity, morphology and karyotypes of species from genus Neogobius (Perciformes; Gobiidae) at coastal zone of the Caspian Sea (Aktau city)	4
Atanbaeva G.K., Tuleuhanov S.T., Daulet G., Molsadykkyzy M., Ossikbayeva S.O., Orynbayeva Z.S. Study of the effect of cadmium, lead, zinc salts on the rat blood cells	9
Elancev A.B., Syaburyar D. Protective and damaging role of electromagnetic influences on biomembranes	15
Ongarbaeva D.T., Kurmanaliyev S.K., Krugovykh I., Degert N., Sagot J. Study of the functional state of cardiorespiratory system of students of the al-Farabi Kazakh National University	19
Pinsky I., Labeit S., Labeit D., Ivashchenko A. Characteristics of miRNA binding sites in mRNAS of human and mouse titin gene	25
SalikhovT.,Ayurzhanaev A., SalikhovaT. Ecological assessment of the territory of the projected State Nature Reserve 'Bokeyorda' in West Kazakhstan region	35
Baidaulet T., Tuleuhanov S.T., Ablaikhanova N.T., Ydyrys A., Baishanbo A. Effects of Almaty city ecological factors on students blood indices at al-Farabi Kazakh National University	42
Nuerbaheti H., Ydyrys A., Tuleuhanov S., Ablaikhanova N., Gulishayia D., Muhemaiti Y., Baishanbo A. Study on the effect of the Kazakh Traditional Medicine Kezimuk granules to the immunologic function of cyclophosphamide induced immunosuppressed mice	50
Zhaimukhambetova L.N., Dyusebaeva M.A., AisaH., Jenis J. Synthesis of New, Potentially Biologically Active Derivatives of 1,3,4-Oxadiazole-2-yl carbothioates	57
Kuanova A.O., Nurpeissova Zh.A., Mangazbayeva R.A., Park K. The obtaining of composite materials based on carboxymethylcellulose and polyvinyl alcohol	62
Kunakbayeva A., Abilova G., Irmukhametova G., Murzagulova K., Mun G. Development of hydrogel ointments based on carbopol with α-lipoic acid	69
Nurkina A.N., Mamutova A.A., Gabbasova S.M. Preparation of sulfur pigments based on the interaction of sulfur with aniline	78
Sassykova L.R., Aubakirov Y.A., Kosmambetova G.R. Catalysts for neutralization of waste gases of the vehicles and industry	84
Akhmetkaliyeva M.Sh., Sassykova L.R., Aubakirov Y.A., Kosmambetova G.R. Fractional composition of compounds of zinc and lead in light chestnut soils	89
Yessengulova A.A., Yessengeldi A.M., Kayralapova G.Zh., Iminova R.S., AbilovZh.A., Beisebekov M.M. Synthesis of cryogels based on bentonite clay-polyacrylic acid and research their physical-chemical properties	92

UDC 612.015.1-3-616

^{1*}Atanbaeva G.K., ¹Tuleuhanov S.T., ¹Daulet G., ¹Molsadykkyzy M., ¹Ossikbayeva S.O., ²Orynbayeva Z.S.

¹al-Farabi Kazakh National University, Almaty, Kazakhstan
²Department of Surgery, Drexel University College of Medicine, Philadelphia, USA

*e-mail: gulshat.atanbaeva@kaznu.kz

Study of the effect of cadmium, lead, zinc salts on the rat blood cells

Abstract. Changes were detected in the blood of rats caused by heavy metal compounds. The results show that the salts of heavy metals poisoning demonstrates in damage in the blood cells in the animal body and making weaker their immunity. As a result, various changes occur in animals. In addition, material was collected on immune depressive exposure to heavy metals in the body of rats 25, 50, 75, 100 times more compounds of zinc ions, lead and cadmium. Animal disorders were observed in the nervous system, including tearing, inflammation conjunctive sac and certain groups even with bleeding. Leukogram, which was made by the blood of rats, showed that the poisoning caused by the impact of three types of heavy salts, has led to significant changes in the health and behavior of the animals. When increasing by 100 times more poisoning three compound salts in animal organisms have been found strong signs of poisoning, finally, all experimental rats died within 5-6 days. It is important to note, animals poisoned by 75-100 times the maximum permissible concentration of heavy metal salts of the three compound salts have died. Leukogram of experimental rats showed that, in the blood of rats, poisoned by three salts, during neutrophilia and lymphopenia, leukopenia was found. Neutrophils are characterized by granulated toxicity and gipersigmatich core.

Key words: Rats, blood, neytrofil, heavy metals, leykogramma.

Introduction

Today the decrease and destruction of immune system of an organism are considered as important problems of modern physiology. In scientific-technical and industrial century, the increase of manmade and heavy metals exposure has an influence on psychological health of human. The response of an organism to environment's adverse factors is its increased defensive reaction and as a result changes of blood immunological indexes can be seen in physiological tendency of an organism [1; 2]. In a time of stress blood's leukogram and leukocytal index changes at one definite range that depends on organism's immunological demands [3; 4].

When affected by heavy metals human and animal organisms' adaptive abilities are decreased and organism's protective system is exhausted and weakened by exerting pressure on and disturbing organism's vital functional systems. To restore the individual and cumulative impacts of negative factors of metals such as zinc, lead and cadmium, the search for new biologically active compounds that determine the cellular mechanisms of immune-boosting properties and effects on the body is the basis for the research work. Industrial

development of economy and agricultural chemistry led to a sharp increase in the number of transport vehicles in big cities in recent years and which overall leads to environmental pollution. Not only the production of chemical substances harm human body, but everyday use of household chemicals increase the risk of harm to human health [5].

In many countries, including Kazakhstan, the increased industrial development neglects the responsibility to nature protection and wastes like toxins, heavy metals, pesticides and other harmful substances lead to the environmental pollution. Adverse climatic factors interact with chemicals and further enhance the strength of their insalubrities [6; 7].

Many chronic diseases are considered to be the result of the negative influence of environmental factors on the human body. The occurrence of disease is due to decreased activity of immune system [8; 9].

If allowed concentration is increased, it may produce toxic effects in human and animal body. In all cases, when heavy metals enter the body of an organism it leads to development of various pathologies, gives rise to a distortion of defensive system, which leads to a decrease of organism's functional structures [10].

© 2017 al-Farabi Kazakh National University

Printed in Kazakhstan

Vasil'ev aspijskobiidae) 2013. –

le goby,).//Folia

ic rela-

elation-(Gobi-

skij stas (Gobi-// Vopr.

nuk V.I. podroda ogichesyh form (Gobi-6. er fishes

m: AU-

oychkov morej. o-CHerlicii.. –

cheperye iya i rol' aratetisa: 3 s. kak ehleologiya i